

REASONS to Put Oown Your Phone

Occasionally disconnecting from your smartphone benefits your health. Here's why.

Smartphones are hard on your musculoskeletal system. Text neck back, neck and shoulder pain linked to constantly looking down at your phone — and thumb tendonitis from too much texting are just a few of the overuse injuries linked to frequent smartphone use.

Smartphones distract you from your surroundings. Injuries from falling down stairs, running into objects and stepping into traffic are on the rise as people spend more time using their smartphones while commuting on foot, according to the American Academy of Orthopaedic Surgeons.

> Smartphones are a haven for germs. Studies have found that phones harbor viruses and bacteria, if not cleaned regularly.

Smartphones interfere with getting things done. A study published in the Journal of the Association for Consumer Research found that having your smartphone within reach — even if the device is off — can drain your brain power.

Conclusion: To prevent these pitfalls, be choosy about when and how often you use your phone.

Need a primary care physician? You can be in control and schedule an appointment online at DeKalbAnytime.com.

TIME FOR A **SMART SPEAKER?**

Smart speakers let you access information, listen to music, make purchases and even control the lights and temperature in your home using voice commands. They're convenient, but are they safe?

Just like with any electronic device, hacking is a possibility. Safeguard your information with these do's and don'ts:



Do enable settings that require you to enter a PIN number or password before making purchases.



Don't connect your smart speaker to unsecured Wi-Fi networks.



Do take home security off-line. For example, Symantec warns against using smart speakers to control automated door locks.

TAKE ACTION AGAINST

DISTRACTION

Text messages, emails, phone calls and social media alerts, digital distractions are part of everyday life. As your attention is pulled in competing directions, you may feel like you have an evershortening attention span. Restore your ability to focus with these attention-span-boosting strategies:

- Finish one task at a time. Multitasking can harm your productivity and increase the likelihood of mistakes, according to the American Psychological Association.
- Practice mindfulness. A recent Journal of Cognitive Enhancement-published study found that performing meditation-based exercises may help improve reaction time and attention.
- Time tasks based on peak productivity when possible. Focus is typically highest in the morning and wanes in the early to mid-afternoon before rising again in early evening.





GET BACK ON TRACK

to the American Medical

Society for Sports Medicine.



Hester, M.D.

Get back on track with the help of the team at DeKalb Orthopedics and Sports Medicine. Board-certified Orthopedic Surgeon, Andrew Hester, M.D., and

his team are ready to support you in your goal of getting the most out of life. Dr. Hester is now providing full-time orthopedic care in DeKalb County.

"It's rewarding when I'm able to replace someone's knee or hip and they walk again without pain, or fix someone's rotator cuff and get them back to work or playing golf," Dr. Hester says. "When orthopedic care is needed, I help patients get back to being themselves."

Call DeKalb Orthopedics and Sports Medicine at (256) 474-2193 today to schedule an appointment.

Dr. Hester is a member of the medical staff at DeKalb Regional Medical Center. Addressing chronic ankle instability (CAI) can help you maintain an active, independent life.

If your doctor's office or local urgent care gave out punch cards for ankle sprains, how many punches would you have? CAI affects people of all ages and occurs when someone does not rehabilitate an ankle sprain properly or re-sprains their ankle within six months of the first injury.

You may have CAI if you:

- consistently feel like you need to wear an ankle brace or compression bandage
- don't feel comfortable walking on uneven ground
- experience recurring ankle sprains
- frequently roll your ankle or feel it give out
- have persistent ankle pain

AN OUNCE OF PREVENTION

When sprained ligaments heal in a stretched position, they're more likely to roll or be unstable in the future. Prevent further sprains and future instability by:

- doing exercises designed to strengthen the ankle like standing calf raises and heel walks
- following your doctor's instructions after an initial sprain
- wearing shoes with proper ankle support

THE RIGHT TREATMENT


CAI develops in 10 to 20 people out of every 100 people with ankle sprains, according to the U.S. National Library of Medicine. Treatment options vary depending on the severity of your joint instability. For most people, the first option is physical therapy to strengthen the ankle and wearing a brace to stabilize it. Your doctor may also direct you to take nonsteroidal anti-inflammatory drugs, such as aspirin and ibuprofen.

If ligaments are still loose following physical therapy, your doctor may recommend surgery. Ankle surgery can either shorten and tighten ligaments or use a piece of tendon to function as an outer ligament. Rehabilitation provides better results at two to three weeks after surgery than it does six weeks after surgery, so talk to your doctor about starting physical therapy quickly.



Contact DeKalb Orthopedics and Sports Medicine today to schedule an appointment. Our team will work with you to develop a plan to address your chronic ankle instability (CAI) and other orthopedic needs.

Patient results may vary. Consult your doctor about the benefits and risks of any surgical procedure or treatment.





1ST DOWN: THE DRAW

The big draw at any tailgate is often grilled beef or pork, or fried chicken. It's time for leaner options to have their day in the sun — and on your plate. Substitute ground turkey or salmon burgers and sliders for the beef varieties and be sure to use whole-grain buns. Instead of hot dogs and bratwurst, let guests make their own skewers of turkey or chicken, tomatoes, onions, bell peppers, squash, and any other ingredients you can think of. Soak chicken breasts in your favorite marinade the night before and then grill them at the tailgate as healthy swaps for fried chicken. Using a marinade or rub to flavor meat will help you cut down on the use of salt.

2ND DOWN: THE OPTION

A good tailgate includes plenty of side dishes to complement the main course. At a typical tailgate, it's easy to overindulge in the bevy of snackable side dishes, such as chips, macaroni and cheese, rolls, baked beans, and potato salad. That's why it's important to provide a variety of healthy options, such as grape tomatoes, carrot sticks, broccoli florets and cucumber slices for dipping, as well as baked chips with salsa or guacamole. A fruit salad can make for a colorful and refreshing change of pace, especially on hot, early-season game days when fall hasn't quite yet arrived.

3RD DOWN: THE COUNTER Counter plays are designed to fool opponents. Your guests will be delightfully surprised when dessert comes from the grill instead of a cake carrier or cookie sheet. A variety of fruits lend themselves to grilling, including peaches, apples, pineapples and pears. Eaten warm off the grill, these fruits are a treat for any sweet tooth. If you prefer your dessert cold and have a small, portable refrigerator, dip strawberries in dark chocolate and let them chill for 15 minutes before enjoying.

4TH DOWN: THE TOSS

To wash down all of that delicious, healthy food, toss out beer, sodas and sports drinks in favor of water that's anything but boring. Fill several large pitchers with water and add a few lemon, lime or orange slices to give it a crisp, refreshing taste.



Don't let food be your opponent. If you suffer from pain in your stomach, schedule an appointment with a board-certified general surgeon who can defeat the pain. To find a general surgeon, visit DeKalbRegional.com and use our "Find A Doctor" tool.

 $\label{lem:patient} \textit{Patient results may vary. Consult your doctor about the benefits and risks of any surgical procedure or treatment.}$

VICTORY OVER

Whether a nail-biter or a blowout, a loss by your favorite team can be hard to take — and, potentially, harmful to your health. The likelihood of heart attacks and deadly traffic accidents rises after a sports defeat, according to the co-author of a study of NFL fans that found a link between losing and unhealthy eating. Don't let passion for your team put you at risk after every loss. Use these tips to handle the agony of defeat:

- Place sports in perspective.
 It's OK to identify closely with your team, but it shouldn't be your whole identity. When your favorite squad loses, remember that it's only a game, and that there are other things that make your life rich. Focusing on them will lessen the sting of the loss.
- Resist the temptation to binge on junk food. In a 2013 study, researchers found that NFL fans' total calorie consumption and saturated fat intake rose by 10 percent and 16 percent, respectively, after losses by their team. The next time your side goes down in defeat, reach for a healthy snack and enjoy in moderation.
- Take a cue from your on-field heroes. Many successful athletes adopt a short-term memory — they don't relish wins or lament losses for long. Instead, they prepare for the next contest.
- Think of defeat as a prelude to victory. True fans stick with their team through thick and thin. In the wake of a crushing loss, think how much sweeter the moment of triumph will be because of the temporary bitterness of defeat.

EXTRA POINT: THE PLAY-ACTION

Tailgating is built around food, but there is much more to it than enjoying the spread. Football Saturdays and Sundays are for making memories with loved ones, and a great way to do that is by getting active. Don't just sit around snacking and watching TV at your tailgate — toss a football, play cornhole or take a walk to meet your fellow tailgaters and see what they're cooking. Staying on the move burns calories, reduces screen time, keeps you connected to what's going on around you and calms the jitters you may feel ahead of kickoff. Then again, with all the fun you have tailgating, you may forget there's a game to watch.



PROSTATE PROACTIVITY

Gentlemen, don't let prostate cancer sneak up on you. Talk with your doctor about screening.

While prostate cancer is responsible for the second highest number of cancer deaths among men in the United States, according to the American Cancer Society (ACS), finding prostate cancer early through screenings and biopsies can make it easier to treat.

SCREENING METHODS

If warranted, screening may include a prostate-specific antigen (PSA) test. PSA tests examine your blood for elevated levels of PSA. Though prostate cancer can increase PSA levels, other factors, such as medications or infections, can cause these levels to rise as well.

If you have the test and your PSA is elevated, a biopsy may be recommended to confirm the presence of prostate cancer. In many cases, prostate cancer does not require immediate treatment if it's slow growing.

DOCTOR DISCUSSION

Talk with your primary care provider (PCP) about your individual prostate cancer screening recommendation. He or she will take into account your personal and family medical history with the disease.

Typically, the ACS recommends that men begin talking with their PCP about prostate screenings at age 50. Men with higher risk factors — such as those with African-American heritage and/or a family history of prostate cancer — should start the discussion in their forties.



Visit your PCP annually to discuss and receive recommended screenings. Need a PCP? Use our "Find A Doctor" tool at DeKalbRegional.com to search by location or name.

KNOWYOUR

For American women, apart from skin cancers, breast cancer is the most common cancer. Read up on the latest recommendations to monitor your breast health.

By simply being a woman, you are at risk for breast cancer. Roughly one in eight American women develops the disease at some point in her life, according to the National Cancer Institute.

Take a look at the American Cancer Society's latest screening guidelines for women at average risk:

- If you are age 40 to 45, you have the choice to begin annual mammograms.
- If you are between the ages of 45 to 54, you should get a mammogram every year.
- If you are 55 or older, you can switch to mammograms every two years, but you can continue yearly screenings if you wish.
- No matter your age, remain familiar with the way your breasts normally look and feel. Report any changes to your healthcare provider as soon as you notice something different.

Women who have an inherited gene mutation, personal history of breast cancer or family history of the disease are generally at higher risk. Talk with your physician about your personal and family history to determine your risk and decide which screening options are right for you.



A mammogram could save your life. Don't wait. Call (256) 274-8553 to schedule an appointment.



Fizzy

Learn whether your favorite carbonated drink falls flat or is a bubble above the rest with this guide.

FIZZY FAILURES

Drinks in this category typically have more than 30 grams of sugar per 12 oz. serving.

- cola
- energy drinks

- ginger ale and tonic water
- sparkling juices

Flat Fact: As few as two energy drinks can put you over the U.S. Food and Drug Administration's daily recommended limit of 400mg of caffeine.

FIZZLE OF THE PACK

These drinks are an improvement, but more research needs to be done about artificial sweeteners to determine their effects on the body.

- diet sodas
- diet sparkling juices
- no-calorie soft drinks

Flat Fact: Drinking two or more artificially sweetened sodas daily has been linked to a 30 percent or more decline in kidney function in women in a study performed by Harvard Medical School.

FIZZY FREEDOM

No calories. No sugar. No caffeine. No problem.

- club soda
- mineral water
- seltzer water

Flat Fact: The American Dental Association has found that most sparkling water is just fine for your teeth. However, if you enjoy adding lemon or indulging in citrus-flavored varieties, do so sparingly — citric acid can damage the enamel in your teeth.



Your primary care provider can help you live a healthier lifestyle. Schedule an appointment online at DeKalbAnytime.com.



DeKalb Regional Medical Center 200 Medical Center Drive P.O. Box 680778 Fort Payne, AL 35968

WANT TO READ MORE?

Visit DeKalbRegional.com/signup to receive other health and wellness articles and register for our eNewsletter.

DeKalb Regional Medical Center complies with applicable Federal civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability or sex. For more information, see link on our home page at DeKalbRegional.com. Attention: If you do not speak English, language assistance services, free of charge, are available to you. Call (256) 845-3150.

ATENCIÓN: si habla español, tiene a su disposición servicios gratuitos de asistencia lingüística. Llame al (256) 845-3150.

주의: 한국어를 사용하시는 경우, 언어 지원 서비스를 무료로 이용하실 수 있습니다. (256) 845-3150.

VOLUME 10 · ISSUE 3 | Want More? Visit DeKalbRegional.com/signup to sign up for our eNewsletter! | DeKalbRegional.com

This publication in no way seeks to serve as a substitute for professional medical care. Consult your doctor before undertaking any form of medical treatment or adopting any exercise program or dietary guidelines.

Take the first step toward relief from hip or knee pain.

Get back to the active life you love. Board-certified surgeon Andrew Hester, M.D., can help and is the only orthopedic doctor practicing full-time in Ft. Payne. He will take the time to get to know you, diagnose the source of your pain, and provide personalized treatment options.

If surgery or physical therapy is required, he'll guide you through the entire process. Whether you have a sports injury, advanced osteoporosis, or a painful joint, you'll find help here. Most insurance plans are accepted.



For an appointment, call 256-460-4462.

Andrew Hester, M.D. Board-Certified Orthopedic Surgeon



2605 Gault Avenue N, Suite 200 Ft. Payne, AL 35967

PRSRT STD

U.S. POSTAGE

PAID

LYNCHBURG, VA PERMIT NO. 500

